



Chippenham Lane, Slough, Subsidence Ground Investigation



EEGSL's Reading office were commissioned to undertake a ground investigation for two semi-detached dwellings along Chippenham Lane in Slough. The investigation was requested to help understand settlement issues impacting both properties.

Prior to undertaking the ground investigation, it was proposed by third parties that differential settlement was being caused by the swelling and shrinking of high plasticity clays present at foundation depth across the site.

However, it became clear once EEGSL broke ground on site that high plasticity clays were not the issue causing the settlement. Ground conditions were quickly identified as being dense sand and gravel present over a thin layer of made ground. Investigation techniques, were quickly changed and instead of several window samples boreholes, a series of five hand pits were completed to investigate the depth and construction of the current foundations.

The results of the hand pits identified that the two adjoining properties were founded on poorly constructed and very shallow foundations which were the underlying issue causing the undesired settlement. The works culminated with the production of a detailed factual report identifying the actual geology present beneath the assessment site and the design and depth of the current foundations.

Based on the findings of the ground investigation, our client is now compiling a legal case against its insurance provider and looking to undertake remedial works to the foundations across the site.



CLIENT: Confidential
LOCATION: Slough
VALUE: Confidential
ACTIVITIES: Geotechnical Site Investigation

HEAD OFFICE

Houldsworth Mill Business Centre,
Houldsworth Street,
Stockport,
SK5 6DA
E: headoffice@earthenvironmental.co.uk
T: 0161 975 6088

SOUTH WEST

Suite F8, Kingsbury House,
Kingsbury Square,
Melksham, near Bath,
SN12 6HL
E: southwest@earthenvironmental.co.uk
T: 01225 434237

SOUTH

200 Brook Drive,
Green Park,
Reading, Berkshire,
RG2 6UB
E: south@earthenvironmental.co.uk
T: 01189 253229

SCOTLAND

Hudson House,
8 Albany Street,
Edinburgh,
EH1 3QB
E: scotland@earthenvironmental.co.uk
T: 0131 564 1789

NORTH EAST

The Wilton Centre,
Redcar,
TS10 4RF
E: northeast@earthenvironmental.co.uk
T: 01642 438125